

824 – 960 & 1710 – 2170 MHz 2 dBi Rubber Duck Antenna

Model: VS-AN-GSM-RD-02

Salient Features:

- Compact Size & Low Cost
- Available with connector SMA (M) or RP-SMA(M)
- Also available with Right Angle connectors.

Applications:

- GSM - GPRS
- UMTS - 3G



Electrical Specification

Frequency Range	824 - 960 MHz & 1710 - 2170 MHz
Gain	2 dBi
VSWR (Max.)	≤ 2
Input Impedance	50 Ω
Polarization	Vertical
Horizontal Beam Width	360°
Vertical Beam Width	40°
Power Handling	10 W (40dBm)
Connector	SMA (Male)

Mechanical Specification

Dimensions	50 x Ø10 mm
Housing	ABS Black
Weight	< 50 gms

Environmental Specification

Operating Temperature	-30° to +60°C
Humidity	5 - 95%

VINSURWAVES

Address: No 07, Muninanjareddy building, 1st Main, Thirupalaya(Near Venkateshwara Temple), Bommasandra Industrial Area, (Near Electroncity), Bangalore-560099, INDIA, Phone: 080-28520115, Mob: +91- 9886991616, E-mail: info@vinsurwaves.com | Website: www.vinsurwaves.com.